






SERIE INDUSTRIAL SCH. 5S / 10S - DIMENSIONES SEGÚN ANSI-B 16.9

CURVAS 90° Y 45°

- Acero inoxidable AISI 304
- Acero Inoxidable AISI 316
- Acabado Mate
- ANSI-B 16.9




DN (Inch.)	Ø Ext.		Centro a Extremo							
			Curvas de 90° - A				Curvas de 45° - B			
			Radio Largo		Radio Corto		Radio Largo		Radio Corto	
			IN	MM	IN	MM	IN	MM	IN	MM
1/2	0.84	21.3	1.5	38	-	-	0.62	16	-	-
3/4	1.05	26.7	1.12	29	-	-	0.44	11	-	-
1	1.32	33.4	1.5	38	1	25	0.88	22	0.41	10
1 1/4	1.66	42.2	1.88	48	1.25	32	1	25	0.52	13
1 1/2	1.9	48.3	2.25	57	1.5	38	1.12	29	0.62	16
2	2.38	60.3	3	76	2	51	1.38	35	0.83	21
2 1/2	2.88	73.0	3.75	95	2.5	64	1.75	44	1.04	26
3	3.5	88.9	4.5	114	3	76	2	51	1.24	32
3 1/2	4	101.6	5.25	133	3.5	89	2.25	57	1.45	37
4	4.5	114.3	6	152	4	102	2.5	64	1.66	42
5	5.56	141.3	7.5	190	5	127	3.12	79	2.07	53
6	6.62	168.3	9	229	6	152	3.75	95	2.5	63
8	8.62	219.1	12	305	8	203	5	127	3.31	84
10	10.75	273.0	15	381	10	254	6.25	159	4.14	105



SERIE SANITARIA

CURVAS 90° Y 45°

- Acero inoxidable AISI 304
- Acero Inoxidable AISI 316
- Pulido Sanitario Interno y Externo






DN (Inch.)	Curvas de 90°		Curvas de 45°	
	D Ø Ext. (MM)	R (MM)	D Ø Ext. (MM)	R (MM)
1/2"	12.7	...	12.7	...
3/4"	19.0	...	19.0	...
1"	25.4	38.10	25.4	38.10
1 1/4"	31.7	47.55	31.7	47.55
1 1/2"	38.1	57.15	38.1	57.15
2"	50.8	76.20	50.8	76.20
2 1/2"	63.5	95.25	63.5	95.25
3"	76.2	114.30	76.2	114.30
4"	101.6	152.40	101.6	152.40
5"	127.0	190.50	127.0	190.50
6"	152.4	228.60	152.4	228.60
8"	203.2	304.80	203.2	304.80
10"	254.0	381.00	254.0	381.00



ESPEORES DE PARED

CURVAS 90° Y 45°

- Acero inoxidable AISI 304
- Acero Inoxidable AISI 316
- Serie Sanitaria e Industrial



DN		Ø Ext.	PAREDES		
MM	IN		Sanitarias (MM)	Sch. 5S (MM)	Sch. 10S (MM)
15	1/2	21.3	1.25	1.65	2.11
20	3/4	26.7	1.25	1.65	2.11
25	1	33.4	1.25	1.65	2.77
32	1.1/4	42.2	1.25	1.65	2.77
40	1.1/2	48.3	1.25	1.65	2.77
50	2	60.3	1.50	1.65	2.77
65	2.1/2	73	1.50	2.11	3.05
80	3	88.9	1.50	2.11	3.05
90	3.1/2	101.6	1.50	2.11	3.05
100	4	114.3	2.00	2.11	3.05
125	5	141.3	2.00	2.77	3.40
150	6	168.3	2.00	2.77	3.40
200	8	219.1	3.00	2.77	3.76
250	10	273	3.00	3.40	4.19